

C of C

PATENT  
ATTORNEY DOCKET NO. 50321/002002

Certificate of Mailing: Date of Deposit: March 22, 2006

I hereby certify under 37 C.F.R. § 1.8(a) that this correspondence is being deposited with the United States Postal Service as **first class mail** with sufficient postage on the date indicated above and is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, Attention: Certificate of Correction Branch.

Colleen Lombard

Printed name of person mailing correspondence

Signature of person mailing correspondence

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	William M. Mitchell et al.	Art Unit:	1645
Serial No.:	09/709,201	Examiner:	Hines, J. A.
Filed:	November 8, 2000	Customer No.:	21559
Patent No.:	6,838,552 B1		
Issued:	January 4, 2005		
Title:	DIAGNOSIS AND MANAGEMENT OF INFECTION CAUSED BY CHLAMYDIA		

**Certificate**  
**MAR 28 2006**  
**of Correction**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450  
Attention: Certificate of Correction Branch

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.322

Applicants hereby request that a Certificate of Correction be issued in the patent identified above. The errors to be corrected are described in detail on the enclosed PTO Form 1050.


MAR 29 2006

No fee is believed to be due, as the errors to be corrected were made by the PTO.

If there are any charges or any credits, please apply them to Deposit Account No. 03-2095.

Respectfully submitted,

Date: 21 March 2006

  
\_\_\_\_\_  
Karen L. Elbing, Ph.D.  
Reg. No. 35, 238

Clark & Elbing LLP  
101 Federal Street  
Boston, MA 02110  
Telephone: 617-428-0200  
Facsimile: 617-428-7045

F:\50321\50321.002002 Request for Certificate of Correction in Applicant Error.doc

MAR 29 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE**  
**CERTIFICATE OF CORRECTION**

PATENT NO. 6,838,552 B1  
DATED January 4, 2005  
INVENTORS William M. Mitchell et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4, line 64, replace "treating" with --treating--.

Column 5, line 52, replace "HuEVEC-CP" with --HuEVEC-CF--.

Column 21,

Line 6, replace "EBB" with --EBs--; and  
Line 12, replace "EBB" with --EBs--.

Column 23,

Line 24, replace "(IC)" with --(IC),--; and  
Line 28, replace "investigation correlation" with --  
investigation. Correlation--.

Column 30, line 25, replace "as." with --as--.

Column 32, line 63, replace "(Novagen. Inc.)" with --(Novagen,  
Inc.)--.

MAILING ADDRESS OF SENDER:  
Karen L. Elbing, Ph.D.  
Clark & Elbing LLP  
101 Federal Street  
Boston, MA 02110  
Customer No.: 21559  
SUBSTITUTE FORM PTO 1050

PATENT NO. 6,838,552B1  
NO. ADDITIONAL COPIES  
@ 50¢ PER PAGE

MAR 29 2006

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. 6,838,552 B1  
DATED January 4, 2005  
INVENTORS William M. Mitchell et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 33, line 32, replace "yield>3" with --yield >3".

Column 34, line 23, replace "post-itnmunization" with --post-immunization--.

Column 35,

Line 26, replace "calorimeter" with --colorimeter--; and

Line 28, replace "yield>3" with --yield >3".

Column 36, line 24, replace "chlamydia" with --chlamydial--.

MAILING ADDRESS OF SENDER:  
Karen L. Elbing, Ph.D.  
Clark & Elbing LLP  
101 Federal Street  
Boston, MA 02110  
Customer No.: 21559

PATENT NO. 6,838,552 B1  
NO. ADDITIONAL COPIES  
@ 50¢ PER PAGE

SUBSTITUTE FORM PTO 1050

MAR 29 2005